

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/902,494	07/10/2001	Peter M. Wild	3048.1000-002	3048.1000-002 5907	
75	590 06/01/2004		EXAMINER		
WILLIAM NITKIN			NGUYEN, SON T		
850 BOYLSTON STREET CHESTNUT HILL, MA 02467			ART UNIT	PAPER NUMBER	
			3643		
			DATE MAILED: 06/01/2004	DATE MAILED: 06/01/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	09/902,494	94 WILD ET AL.	
Office Action Summary	Examiner	Art Unit	
	Son T. Nguyen	3643	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ad	ldress
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period was preply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timel the mailing date of this c D (35 U.S.C. § 133).	y. ommunication.
Status			
1) Responsive to communication(s) filed on 27 Fe	ebruary 2004.		
2a) This action is <b>FINAL</b> . 2b) ⊠ This	action is non-final.		
3) Since this application is in condition for allowar	nce except for formal matters, pro	secution as to the	e merits is
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.	
Disposition of Claims			
4)⊠ Claim(s) <u>1-40</u> is/are pending in the application.			
4a) Of the above claim(s) is/are withdraw	vn from consideration		
5) Claim(s) is/are allowed.		1	
6)⊠ Claim(s) <u>1-40</u> is/are rejected.		SonTr Prim Exm	
7) Claim(s) is/are objected to.		Par Sun	2/13
8) Claim(s) are subject to restriction and/or	r election requirement.	IIIm CAM	1412
Application Papers			
9) The specification is objected to by the Examine	r		
10)⊠ The drawing(s) filed on <u>10 July 2001</u> is/are: a)[		ov the Examiner.	
Applicant may not request that any objection to the			
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	jected to. See 37 C	FR 1.121(d).
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form P	ΓΟ-152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. & 119(a)	)-(d) or (f)	
a) ☐ All b) ☐ Some * c) ☐ None of:	priority under 00 0.0.0. § 110(a)	)-(a) or (i).	
1. ☐ Certified copies of the priority documents	s have been received.		
2. Certified copies of the priority documents		ion No	
3. Copies of the certified copies of the prior	• •		Stage
application from the International Bureau	(PCT Rule 17.2(a)).		
* See the attached detailed Office action for a list	of the certified copies not receive	ed.	
Attachment(s)			
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)	
2) D Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate	2.452)
<ol> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)</li> <li>Paper No(s)/Mail Date</li> </ol>	5)	ratent Application (P1)	J-102)
S. Patent and Trademark Office	-		

Art Unit: 3643

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-18,21-35,37-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shibata (JP406169643A) in view of Schoonman (US 3,295,254).

For claims 1 & 2, Shibata discloses a method for injecting a fluid into a woody plant such as a tree, the method comprising the steps of providing a fluid reservoir 20 containing a fluid L, a gas reservoir 2 containing a gas G, a needle H,28 having a proximal end and a distal end, an inner conduit 28, a tip (fig. 2 near ref. H), an outer surface, at least one aperture connecting the inner conduit and the outer surface (fig. 2, near ref. H so that liquid from the needle can flow to the tree), a hand-held injector 10,13 (in order for the injector to be connected with the reservoir, a user must hand held the injector and screw it onto the reservoir, thus, the injector is a hand held injector) connectable to the fluid reservoir 20 and the gas reservoir 2, wherein the injector can direct at least a portion of the fluid L from the fluid reservoir 20 with at least one piston 13 actuated by at least a portion of the gas G from the gas reservoir 2 without the gas contacting the fluid (the gas from the gas reservoir 2 is injected into the fluid container 20 and then that gas provide pressure to "push" the fluid L from the container 20 into passageway 25 and into the pipe 23), through the inner conduit and out of the at least

Art Unit: 3643

one aperture; inserting the needle into the woody plant as shown in fig. 2; injecting, via the injector, at least a portion of the fluid L from the fluid reservoir 20 using at least a portion of the gas G from the gas reservoir 2, through the inner conduit 28 of the needle and out of the at least one aperture (near ref. H) and into the woody plant, thereby injecting the fluid into the woody plant (see abstract and figures). Note, Shibata does not disclose that the gas injected from the gas container travels with the liquid through pipe 23 to be injected into the tree. Instead, he teaches that the pressurized gas is injected into the container 20 and thus pushing the fluid L into passageway 25 and into the pipe 23. In addition, if gas did travel through passageway 25, it would have been trapped in drip area 27 so will not mix with the fluid when injected into the tree. However, it is uncertain if the needle's tip of Shibata is sealed and terminating in a point at the distal end. Schoonman teaches an apparatus for injecting liquids into trees in which he employs a needle 11 having a proximal end (fig. 3, end near refs. 21,17) and a distal end (fig. 3, end near ref. 12), an inner conduit 14, a sealed tip 12 terminating in a point at the distal end, an outer surface and at least one aperture 16 connecting the inner conduit and the outer surface and proximate to the point at the distal end. It would have been an obvious substitution of functional equivalent to substitute the needle of Shibata with the needle with the above described features of Schoonman, since it would perform the same function; i.e. to penetrate a tree so as to inject liquid into the tree.

For claim 3, Shibata as modified by Schoonman is silent about the plant being a palm tree or a shrub. It would have been an obvious matter of choice to one having ordinary skill in the art at the time the invention was made to employ the method of

Art Unit: 3643

injecting a fluid of Shibata as modified by Schoonman on a palm tree or a shrub, depending on a user's preference to do so if happens that the palm tree or shrub needs to be treated.

For claim 4, Shibata as modified by Schoonman is silent about the method being repeated one or more times on the same woody plant. It would have been obvious to one having ordinary skill in the art at the time the invention was made to repeat the method of Shibata as modified by Schoonman on the same tree, depending on how bad the plant is in need of medicament, nutrients, fertilizer, pesticide, etc.

For claims 5-7, Shibata is silent about the fluid L is a treatment for a disease condition. In addition to the above, Schoonman further discloses the fluid used in his injection method is to treat the tree for a disease and/or provide the tree with nutrients or water (col. 1, lines 12-14 and col. 4, line 60). It would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a fluid which will treat a tree for a disease condition, insect infestation, or nutrients as taught by Shoonman in the method of injecting of Shibata in order to treat the tree for disease and to provide the tree with proper nutrients and water.

For claim 8, Shibata as modified by Schoonman (emphasis on Schoonman) further discloses the fluid is a suspension of chemicals in water (col. 3, lines 40-43).

For claim 9, Shibata as modified by Schoonman further discloses the needle is inserted into expansion tissue which is the layer of tissue beneath the bark.

For claim 10, Shibata as modified by Schoonman (emphasis on Schoonman) further discloses the needle includes two apertures 16.

Art Unit: 3643

For claim 11, Shibata as modified by Schoonman (emphasis on Schoonman) further disclose the at least one aperture 16 is at a forward angle such as 90° relative to the longitudinal axis of the needle (see fig. 3 of Schoonman).

For claim 12, Shibata as modified by Schoonman (emphasis on Schoonman) further disclose the angle of 90° which is about 50° to about 130° relative to the longitudinal axis of the needle.

For claim 13, Shibata as modified by Schoonman (emphasis on Schoonman) further disclose the angle of 90° which is about 60° to about 120° relative to the longitudinal axis of the needle.

For claim 14, Shibata as modified by Schoonman (emphasis on Schoonman) shows an angle of 90° but not an angle of about 65°. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the apertures of Shibata as modified by Schoonman angled at about 65°, since it has been held that where routine testing and general experimental conditions are present, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

For claim 15, Shibata as modified by Schoonman (emphasis on Schoonman) further disclose at least a portion of the outer surface of the needle between the point 12 and the at least one aperture 16 includes a taper (see fig. 3, the aperture 16 in consideration is the one near refs. 12,14).

For claim 16, Shibata as modified by Schoonman (emphasis on Schoonman) further disclose the needle has a first portion from the proximal end to a shoulder point

Art Unit: 3643

(fig. 3, shoulder point stops near refs. 16,14,12), wherein the outer surface of the first portion has a first taper (fig. 3, first taper occurs from proximal end where refs. 21,17 are located to the shoulder point), and a second portion from the shoulder point to the distal end (fig. 3, near ref. 12), wherein the second portion has a second taper (from shoulder point to the tip of the needle) which is substantially greater than the first taper.

For claim 17, the second taper of Shibata as modified by Schoonman (emphasis on Schoonman) appears to be in the range of about 10 degrees to about 50 degrees relative to the longitudinal axis of the needle; however, this is not certain. In any event, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have the taper angle of Shibata as modified by Schoonman about 10° to about 50°, since it has been held that where routine testing and general experimental conditions are present, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

For claim 18, Shibata discloses a method for injecting a liquid into a plant such as a tree comprising the steps of providing the liquid for the plant; providing a compressed gas G for injecting the liquid into the plant; and with a hand-held injector (in order for the injector to be connected with the reservoir, a user must hand held the injector and screw it onto the reservoir, thus, the injector is a hand held injector), injecting, by motion of at least one piston 13 actuated by at least a portion of the compressed gas without the gas contacting the liquid (the gas from the gas reservoir 2 is injected into the fluid container 20 and then that gas provide pressure to "push" the fluid L from the container 20 into passageway 25 and into the pipe 23), the liquid

Art Unit: 3643

through a needle H,28 fixed relative to the injector through a surface of the plant to inject the liquid into the plant. However, Shibata is silent about the liquid being a medicament. Schoonman teaches a method for injecting a medicament into a plant to treat the plant for disease (col. 1, lines 14 & col. 3, lines 40-42). It would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a medicament as taught by Schoonman as the preferred liquid in the method of Shibata in order to treat the tree for disease. Note, Shibata does not disclose that the gas injected from the gas container travels with the liquid through pipe 23 to be injected into the tree. Instead, he teaches that the pressurized gas is injected into the container 20 and thus pushing the fluid L into passageway 25 and into the pipe 23. In addition, if gas did travel through passageway 25, it would have been trapped in drip area 27 so will not mix with the fluid when injected into the tree.

For claims 21 & 22, Shibata discloses an apparatus for injecting a fluid into a woody plant such as a tree, the apparatus comprising a fluid reservoir 20 containing a fluid L, a gas reservoir 2 containing a gas G, a needle H,28 having a proximal end and a distal end, an inner conduit 28, a tip (fig. 2 near ref. H), an outer surface, at least one aperture connecting the inner conduit and the outer surface (fig. 2, near ref. H so that liquid from the needle can flow to the tree), a hand-held injector 10,13 (in order for the injector to be connected with the reservoir, a user must hand held the injector and screw it onto the reservoir, thus, the injector is a hand held injector) connectable to the fluid reservoir 20 and the gas reservoir 2, wherein the injector can direct at least a portion of the fluid L from the fluid reservoir 20 with at least one piston 13 actuated by at least a

Art Unit: 3643

portion of the gas G from the gas reservoir 2 without the gas contacting the fluid (the gas from the gas reservoir 2 is injected into the fluid container 20 and then that gas provide pressure to "push" the fluid L from the container 20 into passageway 25 and into the pipe 23), through the inner conduit and out of the at least one aperture to inject the fluid into the woody plant. However, it is uncertain if the needle's tip of Shibata is sealed and terminating in a point at the distal end. Schoonman teaches an apparatus for injecting liquids into trees in which he employs a needle 11 having a proximal end (fig. 3, end near refs. 21,17) and a distal end (fig. 3, end near ref. 12), an inner conduit 14, a sealed tip 12 terminating in a point at the distal end, an outer surface and at least one aperture 16 connecting the inner conduit and the outer surface and proximate to the point at the distal end. It would have been an obvious substitution of functional equivalent to substitute the needle of Shibata with the needle with the above described features of Schoonman, since it would perform the same function; i.e. to penetrate a tree so as to inject liquid into the tree. Note, Shibata does not disclose that the gas injected from the gas container travels with the liquid through pipe 23 to be injected into the tree. Instead, he teaches that the pressurized gas is injected into the container 20 and thus pushing the fluid L into passageway 25 and into the pipe 23. In addition, if gas did travel through passageway 25, it would have been trapped in drip area 27 so will not mix with the fluid when injected into the tree.

For claims 23,38, see claim 3 above.

For claim 24, see claim 5 above.

For claim 25, see claim 6 above.

Art Unit: 3643

For claim 26, see claim 7 above.

For claim 27, see claim 8 above.

For claim 28, see claim 10 above.

For claim 29, see claim 11 above.

For claim 30, see claim 12 above.

For claim 31, see claim 16 above.

For claim 32, see claim 17 above.

For claim 33, Shibata as modified by Schoonman (emphasis on Schoonman) further discloses the at least one aperture 16 is located between the shoulder point and the proximal end.

For claim 34, Shibata as modified by Schoonman discloses a method for injecting a fluid into a woody plant using the apparatus as described above to perform the steps of providing the apparatus as described; inserting the needle of the apparatus as described into the woody plant; and injecting the fluid into the plant.

For claims 35 & 39, Shibata as modified by Schoonman discloses medicament, which some medicament are made out of some sort of herbal product. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use herbal product in the fluid of Shibata as modified by Schoonman, depending on the type of tree requirement for certain type of medicament such as herbal product.

3. Claims 19,36,40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shibata as modified by Schoonman as applied to claim 18 above, and further in view of Hendrixson et al. (US 4,103,456). Shibata as modified by Schoonman is silent about the

Art Unit: 3643

medicament being selected from a fertilizer, a pesticide, a fungicide, a growth regulator and a hormone. Hendrixson et al. teach a method for treating trees in which they inject medicament such as fertilizer, growth regulator, hormone, etc. into the trees to treat the trees for disease (col. 4, lines 63-65). It would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a medicament such as fertilizer, growth regulator, hormone as taught by Hendrixson et al. in the method of Shibata as modified by Schoonman in order to treat the tree for disease.

4. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shibata as modified by Schoonman as applied to claim 18 above, and further in view of Mazur et al. (US 4,908,983). Shibata as modified by Schoonman is silent about the gas being selected from the group consisting of carbon dioxide, air, nitrogen. Mazur et al. teach a tree injector in which they employ carbon dioxide (col. 3, line 20) to provide a pressure source so as to inject fluid into the tree. It would have been obvious to one having ordinary skill in the art at the time the invention was made to employ carbon dioxide as taught by Mazur et al. as the preferred gas in the method of Shibata as modified by Schoonman in order to provide a pressure source so as to inject fluid into the tree.

## Response to Arguments

5. Applicants' arguments filed 8/22/03 have been fully considered but they are not persuasive.

Applicants argued that the gas in Shibata's device clearly contacts the liquid L in container 20.

Art Unit: 3643

As explained in the above, Shibata's gas does not mix with the fluid being injected into the tree because the gas is injected into the container 20 and there, it pushes the fluid down into passageway 25 into the liquid dripping/holding area 27 and then into the pipe 23 to be injected into the tree. In addition, it would not make sense to do so because then, the tree would not get full dosage of the fluid because there are air trapped in the fluid. Furthermore, Applicants claimed language really does not state what phrase of the liquid is not contacting the gas because the claim language merely states that "without the gas contacting the fluid through the inner conduit of the needle", which at the inner conduit of Shibata's needle, the gas is not even present or contacting the fluid. The only time the gas is contacting the fluid is in the container 20. Once the fluid travels through the conduit or pipe 23 and out to needle 28, there is no contact of gas with the liquid or fluid.

Note, all other arguments have been addressed in the final rejection on 12/10/03.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Son T. Nguyen whose telephone number is (703) 305-0765. The examiner can normally be reached on Monday - Friday from 9:00 a.m. to 5:00 p.m. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Poon, can be reached at (703) 308-2574. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to Customer Service at (703) 872-9325. The official fax number is 703-872-9306.

Art Unit: 3643

Son T. Nguyen Primary Examiner, GAU 3643 May 26, 2004